



Doors



French
Composite
In-Line Patio
Tilt & Slide Patio
Bi-Fold

The Complete Package...

Offering all the benefits of a GGF member



The Complete Package...


Offering all the benefits of a GGF member

All N&C Glass doors are designed to complement your home, with a wide range of beautiful styles to choose from; Our doors not only improve the aesthetics but also increase the security of your home whilst significantly enhancing energy efficiency and potentially adding to the market value of your home.




From start to finish N&C Glass ensures quality at every stage

Colour Options



White



Rosewood



Oak

Strong Safe and Secure

The security specification on every N&C door includes locking points strategically positioned on the hinge and handle sides to provide effective all round anti-intruder protection.

Fully adjustable security hinge, fixed directly into steel reinforcement.

Every single component of the N&C system is specified to an uncompromising standard. Even the screws used are superior grades that have been tested for 1000 hours in a salt spray chamber to ensure their quality.



Door Security

- Hookbolt x 3
- Anti-lift pins x 3
- Compression Rollers x 4



3 Security hinges



The perfect entrance

An N&C Composite Door

Kerbside appeal and first impressions are important considerations when choosing a front door. The N&C range of composite doors offer a more traditional style to the residential door range.



The composite door range replicates a traditional wooden door but with the added security associated with the imagine range. Feel safe in your own home with an N&C Composite Door.





Options and Choice

A range of tailored products to suit your personal needs.

For both aspects, inside and out. Our patio and French doors add a graceful luxurious touch to any conservatory or home.

Practical and convenient in configuration, their wide opening provides maximum ventilation and unobstructed access - Not to mention a wonderful and satisfying view of your garden.

Steel Reinforced Outer Frame & Sash.

Fully Welded Frame Joints.

28mm High Insulation Double Glazed Units.

No Vulnerable External Glazing.

Co-extruded twin glazing gasket.

Central Locking and anti-lift pin.

4 High-security bi-directional hook bolt lock built into one-piece keep.

Stainless steel track and rollers for smooth operation.

Cushioning Buffers Top and Bottom.

Double Aluminium threshold.





Feel the difference

N&C Glass Bi-fold doors

The N&C Glass range of Bi-Fold Doors are the perfect way to open up your home. Whether you choose to relax in a stylish open plan living area or you want to create beautiful panoramic views from any room, the N&C Glass Bi-Fold Door provides you with the versatility and flexibility you need to create this relaxing and ambient environment.



N&C Glass strongly recommend the use of their thermally broken aluminium bi-folding door as part of a PVCu installation. The aluminium bifold can be supplied colour matched to any of the PVCu frame options. From our experience there are no PVCu bifold doors on the market that can match the quality and operation of our doors.



Key Features

- Opens up to the full aperture of the frame.
- Any combination of openings for all requirements low line glazing for the traditional look.
- Tailor made from 1600mm up to 6 metres to suit any opening.
- Multi point hook locking for added security.
- Fully reinforced frame for added security and strength.
- Accommodates 28mm sealed glazing units.
- Available in any colour.

Design features

Internally beaded with a softline detail to all external doors and panels

Chamfered and square beaded options

4 stainless steel wheels ensures smooth and consistent operation

Unique, flush line pop-out handle that allows maximum door opening

Low threshold option (Part M – Building Regulations)

Performance

High security hinges and locking mechanisms as standard

Shootbolt top and bottom of the interlocks for enhanced security

Unique high strength roller design for increased weight capacity.

Dedicated bottom bogey guide for consistent operation and

increased security. Double track threshold allowing greater stability.

SIZING

Minimum Width 1600mm	Maximum Width 6200mm*
Minimum Height 1600mm	Minimum Height 3000mm*

Maximum Sash Weight – 100KG*

Please Note:

Individual panel width not to exceed 1000mm

Panel height, width and weight are dependent on style

The sizes detailed above are for guidance only

Please contact N&C Glass for further details

Configurations

Available in a range of styles and designs, panels can be stacked inside or outside of the room, to the left, right or split to stack on both sides. Door sets can be manufactured to replace entire walls to maximise your opening space.

Door panels can be used in any configuration, style and design
All configurations are available in both open-in and open-out options

Full range of suited hardware

Glazing sizing range of 28mm – 44mm

Available in any single RAL colour or dual colour option


Two Panel




Three Panel




Four Panel




Five Panel



Six Panel



Eight Panel



All layouts shown above can be reversed.
Clean modern aesthetics





N&C Glass Ltd
Unit 103,
Lancaster Way Business Park,
Ely,
Cambridgeshire
CB6 3NX

Tel: 01353 667964
Fax: 01353 666877
Email: sales@nandcglass.co.uk
Web: www.nandcglass.co.uk

You will find us on Lancaster Way Business Park,
which is off the A142 road between Ely and Witchford,
directions from the A10 Ely bypass, take the exit by
the Little Chef/BP garage.

Opening hours:
7 a.m. - 5 p.m. Monday to Friday
7 a.m. - 12 noon Saturdays

The Complete Package...

Offering all the benefits of a GGF member

